

Film	Rév.	Dilution	ASA/ISO	35mm	120	Plan film	Temp.
ILFORD							
Pan F+ 50	Ifotec DD	stock	25	4.5	4.5		24°
Pan F+ 50	Ifotec DD	stock	50	10	10		20°
Pan F+ 50	Ifotec DD	stock	50	5.5	5.5		24°
Pan F+ 50	Ifotec DD-X	1+4	25	7	7		20°
Pan F+ 50	Ifotec DD-X	1+4	50	8	8		20°
FP4+	Ifotec DD	stock	50	7	7		24°
FP4+	Ifotec DD	stock	125	13	13		20°
FP4+	Ifotec DD	stock	125	8.5	8.5		24°
FP4+	Ifotec DD	stock	200	11.5	11.5		24°
FP4+	Ifotec DD-X	1+4	50	8	8	8	20°
FP4+	Ifotec DD-X	1+4	125	10	10	10	20°
FP4+	Ifotec DD-X	1+4	200	12	12	12	20°
HP5+	Ifotec DD	stock	200	6	6		24°
HP5+	Ifotec DD	stock	400	10	10		20°
HP5+	Ifotec DD	stock	400	7	7		24°
HP5+	Ifotec DD	stock	800	10	10		24°
HP5+	Ifotec DD	stock	1600	14	14		24°
HP5+	Ifotec DD	stock	3200	18	18		24°
HP5+	Ifotec DD-X	1+4	400	9	9	9	20°
HP5+	Ifotec DD-X	1+9	400	15.75			20°
HP5+	Ifotec DD-X	1+9	400	11.75			24°
HP5+	Ifotec DD-X	1+9	640	9	9		24°
HP5+	Ifotec DD-X	1+4	800	10	10	10	20°
HP5+	Ifotec DD-X	1+4	1600	13	13	13	20°
HP5+	Ifotec DD-X	1+9	1600	16			24°
HP5+	Ifotec DD-X	1+4	3200	20	20	20	20°
Pan 100	Ifotec DD	1+4	50	6			24°
Pan 100	Ifotec DD	1+4	100	7			24°
Pan 100	Ifotec DD	1+4	200	10			24°
Pan 100	Ifotec DD-X	1+4	50	7			20°
Pan 100	Ifotec DD-X	1+4	100	9			20°
Pan 100	Ifotec DD-X	1+4	200	11			20°
Pan 400	Ifotec DD	1+4	200	5			24°
Pan 400	Ifotec DD	1+4	400	6			24°
Pan 400	Ifotec DD	1+4	800	8			24°
Pan 400	Ifotec DD	1+4	1600	11			24°
Pan 400	Ifotec DD-X	1+4	200	7			20°
Pan 400	Ifotec DD-X	1+4	400	8			20°
Pan 400	Ifotec DD-X	1+4	800	9			20°
Pan 400	Ifotec DD-X	1+4	1600	12			20°
Pan 400	Ifotec DD-X	1+4	3200	18			20°
Delta 100 Pro	Ifotec DD	stock	50	8	8		24°
Delta 100 Pro	Ifotec DD	stock	100	13	13		20°
Delta 100 Pro	Ifotec DD	stock	100	9.5	9.5		24C
Delta 100 Pro	Ifotec DD	stock	200	12.5	12.5		24C
Delta 100 Pro	Ifotec DD-X	1+4	50	9.5	9.5	9.5	20°
Delta 100 Pro	Ifotec DD-X	1+4	100	12	12	12	20°
Delta 100 Pro	Ifotec DD-X	1+9	100	14.5			24°
Delta 100 Pro	Ifotec DD-X	1+4	200	14	14	14	20°
Delta 400 Pro	Ifotec DD	stock	200	6	6		24°
Delta 400 Pro	Ifotec DD	stock	400	11	11		20°

Delta 400 Pro	Ifotec DD	stock	400	7	7		24°
Delta 400 Pro	Ifotec DD	stock	800	10	10		24°
Delta 400 Pro	Ifotec DD	stock	1600	13	13		24°
Delta 400 Pro	Ifotec DD	stock	3200	14	14		24°
Delta 400 Pro	Ifotec DD-X	1+4	200	6	6		20°
Delta 400 Pro	Ifotec DD-X	1+9	320		13		24°
Delta 400 Pro	Ifotec DD-X	1+4	400	8	8		20°
Delta 400 Pro	Ifotec DD-X	1+9	400		9.25		24°
Delta 400 Pro	Ifotec DD-X	1+4	500	9.5	9.5		20°
Delta 400 Pro	Ifotec DD-X	1+4	800	10.5	10.5		20°
Delta 400 Pro	Ifotec DD-X	1+4	1600	13.5	13.5		20°
Delta 400 Pro	Ifotec DD-X	1+4	3200	18	18		20°
Delta 3200 Pro	Ifotec DD	stock	400	8	8		24°
Delta 3200 Pro	Ifotec DD	stock	800	8.5	8.5		24°
Delta 3200 Pro	Ifotec DD	stock	1600	9.5	9.5		24°
Delta 3200 Pro	Ifotec DD	stock	3200	12.5	12.5		20°
Delta 3200 Pro	Ifotec DD	stock	3200	10.5	10.5		24°
Delta 3200 Pro	Ifotec DD	stock	6400	13.5	13.5		24°
Delta 3200 Pro	Ifotec DD	stock	12500	19	19		24°
Delta 3200 Pro	Ifotec DD-X	1+4	400	6	6		20°
Delta 3200 Pro	Ifotec DD-X	1+4	800	7	7		20°
Delta 3200 Pro	Ifotec DD-X	1+9	800	13	13		20°
Delta 3200 Pro	Ifotec DD-X	1+4	1600	8	8		20°
Delta 3200 Pro	Ifotec DD-X	1+9	1600	20	20		20°
Delta 3200 Pro	Ifotec DD-X	1+4	3200	9.5	9.5		20°
Delta 3200 Pro	Ifotec DD-X	1+4	6400	12.5	12.5		20°
Delta 3200 Pro	Ifotec DD-X	1+4	12500	17	17		20°
Delta 3200 Pro	Ifotec DD-X	1+4	25000	25			20°
Delta 3200 Pro	Ifotec DD-X	1+4	25000	17			24°
SFX 200	Ifotec DD	stock	200	8.5	8.5		24°
SFX 200	Ifotec DD	stock	400	11.5	11.5		24°
SFX 200	Ifotec DD	stock	800	14	14		24°
SFX 200	Ifotec DD-X	1+4	200	10	10		20°
SFX 200	Ifotec DD-X	1+4	400	14	14		20°

KODAK

Plus-X	Ifotec DD	stock	50	7			24°
Plus-X	Ifotec DD	stock	125	8			24°
Plus-X	Ifotec DD	stock	200	10			24°
Plus-X	Ifotec DD-X	1+4	64	5	5	5	20°
Plus-X	Ifotec DD-X	1+4	125	6	6	6	20°
Plus-X	Ifotec DD-X	1+4	200	8	8	8	20°
Tri-X 320	Ifotec DD-X	1+4	200			6.5	20°
Tri-X 320	Ifotec DD-X	1+4	400			8	20°
Tri-X 320	Ifotec DD-X	1+4	800			10	20°
Tri-X 320	Ifotec DD-X	1+4	1600			14	20°
Tri-X 400	Ifotec DD	stock	200	6.5			24°
Tri-X 400	Ifotec DD	stock	400	7.5			24°
Tri-X 400	Ifotec DD	stock	800	8.5			24°
Tri-X 400	Ifotec DD	stock	1600	9.5			24°
Tri-X 400	Ifotec DD	stock	3200	10.5			24°
Tri-X 400	Ifotec DD-X	1+4	200	6.5	6.5		20°
Tri-X 400	Ifotec DD-X	1+8	320		12		21°
Tri-X 400	Ifotec DD-X	1+4	400	8	8		20°
Tri-X 400	Ifotec DD-X	1+9	400	12			22°

Tri-X 400	Ifotec DD-X	1+9	400		10.25		24°
Tri-X 400	Ifotec DD-X	1+4	800	10	10		20°
Tri-X 400	Ifotec DD-X	1+4	1600	14	14		20°
TMax 100	Ifotec DD	stock	50	6.5			24°
TMax 100	Ifotec DD	stock	100	7.5			24°
TMax 100	Ifotec DD	stock	200	8.5			24°
TMax 100	Ifotec DD-X	1+4	100	7	7	7	20°
TMax 100	Ifotec DD-X	1+9	100		8.5		24°
TMax 100	Ifotec DD-X	1+4	200	9	9	9	20°
TMax 400	Ifotec DD	stock	200	7			24°
TMax 400	Ifotec DD	stock	400	8.5			24°
TMax 400	Ifotec DD	stock	800	9.5			24°
TMax 400	Ifotec DD	stock	1600	10.5			24°
TMax 400	Ifotec DD	stock	3200	13			24°
TMax 400	Ifotec DD-X	1+4	200	7	7	7	20°
TMax 400	Ifotec DD-X	1+4	400	8	8	8	20°
TMax 400	Ifotec DD-X	1+4	800	10	10	10	20°
TMax 400	Ifotec DD-X	1+4	1600	13	13	13	20°
TMax P3200	Ifotec DD	stock	400	8.5			24°
TMax P3200	Ifotec DD	stock	800	9			24°
TMax P3200	Ifotec DD	stock	1600	10			24°
TMax P3200	Ifotec DD	stock	3200	10.5			24°
TMax P3200	Ifotec DD	stock	6400	12.5			24°
TMax P3200	Ifotec DD	stock	12500	14			24°
TMax P3200	Ifotec DD-X	1+4	800	7.5			20°
TMax P3200	Ifotec DD-X	1+4	1600	9			20°
TMax P3200	Ifotec DD-X	1+4	3200	11			20°
TMax P3200	Ifotec DD-X	1+4	6400	15			20°
HIE Infrared	Ifotec DD-X	1+4	n/a	8			20°

FUJI

Acros 100	Ifotec DD	stock	50	8.5			24°
Acros 100	Ifotec DD	stock	100	13			20°
Acros 100	Ifotec DD	stock	100	9			24°
Acros 100	Ifotec DD	stock	200	10.5			24°
Acros 100	Ifotec DD-X	1+4	100	9	10		20°
Acros 100	Ifotec DD-X	1+4	200	14			20°
Acros 100	Ifotec DD-X	1+4	200		9		20°
Neopan 400	Ifotec DD	stock	200	6.5			24°
Neopan 400	Ifotec DD	stock	400	7.5			24°
Neopan 400	Ifotec DD	stock	800	8.5			24°
Neopan 400	Ifotec DD	stock	1600	9.5			24°
Neopan 400	Ifotec DD	stock	3200	11			24°
Neopan 400	Ifotec DD-X	1+4	250		6.25		20°
Neopan 400	Ifotec DD-X	1+4	400	7	7		20°
Neopan 400	Ifotec DD-X	1+4	800	10	10		20°
Neopan 400	Ifotec DD-X	1+4	1600	13			20°
Neopan 1600	Ifotec DD	stock	400	5			24°
Neopan 1600	Ifotec DD	stock	800	5.5			24°
Neopan 1600	Ifotec DD	stock	1600	6			24°
Neopan 1600	Ifotec DD	stock	3200	7			24°
Neopan 1600	Ifotec DD	stock	6400	8			24°
Neopan 1600	Ifotec DD	stock	12500	9			24°
Neopan 1600	Ifotec DD-X	1+9	320	5.5			20°
Neopan 1600	Ifotec DD-X	1+4	800	4.5			20°

Neopan 1600	Ilfotec DD-X	1+4	1600	5			20°
Neopan 1600	Ilfotec DD-X	1+4	3200	9			20°
EFKE							
Efke 25	Ilfotec DD-X	1+7	25	13	13	14	20°
Efke 100	Ilfotec DD-X	1+4	100	7	7	8	20°
Efke 100	Ilfotec DD-X	1+7	100	12.5	13	13	20°
Efke 100	Ilfotec DD-X	1+9	100	13	14	14	20°
Efke 100	Ilfotec DD-X	1+7	130	16	17	17	20°
Efke IR820	Ilfotec DD-X	1+4	3	11	11.5	12	20°
Efke IR820	Ilfotec DD-X	1+4	12	10	11	12	20°
KENTMERE							
Kentmere 100	Ilfotec DD-X	1+4	50	8.5			20°
Kentmere 100	Ilfotec DD-X	1+4	100	10.5			20°
Kentmere 100	Ilfotec DD-X	1+4	200	12.5			20°
Kentmere 400	Ilfotec DD-X	1+4	400	11.5			20°
Kentmere 400	Ilfotec DD-X	1+4	800	13			20°