

Film	Rév.	Dilution	ASA/ISO	35mm	120	Plan film	Temp.
ILFORD							
Pan F+	Ifotec LC29	1+19	50	4	4		20C
Pan F+	Ifotec LC29	1+29	50	5.5	5.5		20C
FP4+	Ifotec LC29	1+19	50	6	6	6	20C
FP4+	Ifotec LC29	1+29	50	8	8	8	20C
FP4+	Ifotec LC29	1+19	125	8	8	8	20C
FP4+	Ifotec LC29	1+29	125	12	12	12	20C
FP4+	Ifotec LC29	1+9	200	5	5	5	20C
FP4+	Ifotec LC29	1+19	200	9	9	9	20C
HP5+	Ifotec LC29	1+19	400	6.5	6.5	6.5	20C
HP5+	Ifotec LC29	1+29	400	9	9	9	20C
HP5+	Ifotec LC29	1+9	800	5	5	5	20C
HP5+	Ifotec LC29	1+19	800	9.5	9.5	9.5	20C
HP5+	Ifotec LC29	1+9	1600	7.5	7.5	7.5	20C
HP5+	Ifotec LC29	1+19	1600	14	14	14	20C
HP5+	Ifotec LC29	1+9	3200	12.5	12.5	12.5	20C
Delta 100 Pro	Ifotec LC29	1+19	50	4.5	4.5		20C
Delta 100 Pro	Ifotec LC29	1+29	50	5.5	5.5		20C
Delta 100 Pro	Ifotec LC29	1+19	100	5	5		20C
Delta 100 Pro	Ifotec LC29	1+29	100	7	7		20C
Delta 400 Pro	Ifotec LC29	1+19	200	5	5		20C
Delta 400 Pro	Ifotec LC29	1+29	200	8.5	8.5		20C
Delta 400 Pro	Ifotec LC29	1+9	320	4	4		20C
Delta 400 Pro	Ifotec LC29	1+19	400	7.5	7.5		20C
Delta 400 Pro	Ifotec LC29	1+29	400	11.5	11.5		20C
Delta 400 Pro	Ifotec LC29	1+9	800	5.5	5.5		20C
Delta 400 Pro	Ifotec LC29	1+19	800	10	10		20C
Delta 400 Pro	Ifotec LC29	1+29	800	17	17		20C
Delta 400 Pro	Ifotec LC29	1+9	1600	7.5	7.5		20C
Delta 400 Pro	Ifotec LC29	1+19	1600	13.5	13.5		20C
Delta 400 Pro	Ifotec LC29	1+9	3200	13	13		20C
Delta 3200 Pro	Ifotec LC29	1+19	400	6	6		20C
Delta 3200 Pro	Ifotec LC29	1+9	800	4.5	4.5		20C
Delta 3200 Pro	Ifotec LC29	1+19	800	7.5	7.5		20C
Delta 3200 Pro	Ifotec LC29	1+9	1600	5	5		20C
Delta 3200 Pro	Ifotec LC29	1+19	1600	9	9		20C
Delta 3200 Pro	Ifotec LC29	1+9	3200	8	8		20C
Delta 3200 Pro	Ifotec LC29	1+19	3200	14.5	14.5		20C
Delta 3200 Pro	Ifotec LC29	1+9	6400	13	13		20C
SFX 200	Ifotec LC29	1+9	200	5	5		20C
SFX 200	Ifotec LC29	1+19	200	9	9		20C
SFX 200	Ifotec LC29	1+29	200	11	11		20C
SFX 200	Ifotec LC29	1+9	400	7	7		20C
SFX 200	Ifotec LC29	1+19	400	13	13		20C
KENTMERE							
Kentmere 100	Ifotec LC29	1+19	50	5.5			20C
Kentmere 100	Ifotec LC29	1+29	50	7.5			20C
Kentmere 100	Ifotec LC29	1+9	100	4			20C
Kentmere 100	Ifotec LC29	1+19	100	7			20C
Kentmere 100	Ifotec LC29	1+29	100	11			20C
Kentmere 100	Ifotec LC29	1+9	200	5			20C
Kentmere 100	Ifotec LC29	1+19	200	8			20C
Kentmere 400	Ifotec LC29	1+9	400	4.5			20C
Kentmere 400	Ifotec LC29	1+19	400	8			20C
Kentmere 400	Ifotec LC29	1+29	400	11			20C

Kentmere 400	Ilfotec LC29	1+9	800	6.5			20C
Kentmere 400	Ilfotec LC29	1+19	800	12.5			20C
FUJI							
Neopan 100ss	Ilfotec LC29	1+19	100	5			20C
Neopan 100ss	Ilfotec LC29	1+19	200	6			20C
Neopan 100 Acros	Ilfotec LC29	1+19	80	4.5			20C
Neopan 100 Acros	Ilfotec LC29	1+29	80	7			20C
Neopan 100 Acros	Ilfotec LC29	1+29	100		8		20C
Neopan 400	Ilfotec LC29	1+19	400	6	6		20C
Neopan 400	Ilfotec LC29	1+29	400	8	8		20C
Neopan 1600	Ilfotec LC29	1+19	1600	7			20C
Neopan 1600	Ilfotec LC29	1+29	1600	10			20C
KODAK							
Plus-X	Ilfotec LC29	1+19	100	5.5	5.5	5.5	20C
Plus-X	Ilfotec LC29	1+29	100	9	9	9	20C
Tri-X 400	Ilfotec LC29	1+19	400	6.5			21C
TMax 100	Ilfotec LC29	1+19	100	7.5	5.5	7.5	20C
TMax 100	Ilfotec LC29	1+29	100	11	9	11	20C
TMax 400	Ilfotec LC29	1+19	400	6.5	6.5	6.5	20C
TMax 400	Ilfotec LC29	1+29	400	9	9	9	20C
TMax 400	Ilfotec LC29	1+24	1600	10	10	10	25C
TMax P3200	Ilfotec LC29	1+19	3200	11.5			20C
TMax P3200	Ilfotec LC29	1+19	6400	13			20C