

Film	Rév.	Dilution	ASA/ISO	35mm	120	Plan film	Temp.
<b>ILFORD</b>							
Pan F+ 50	Ilfotec DD-X	1+4	25	7	7		20°
Pan F+ 50	Ilfotec DD-X	1+4	50	8	8		20°
FP4+	Ilfotec DD-X	1+4	50	8	8	8	20°
FP4+	Ilfotec DD-X	1+4	125	10	10	10	20°
FP4+	Ilfotec DD-X	1+4	200	12	12	12	20°
HP5+	Ilfotec DD-X	1+4	400	9	9	9	20°
HP5+	Ilfotec DD-X	1+9	400	16			20°
HP5+	Ilfotec DD-X	1+9	400	12			24°
HP5+	Ilfotec DD-X	1+9	640	9	9		24°
HP5+	Ilfotec DD-X	1+4	800	10	10	10	20°
HP5+	Ilfotec DD-X	1+4	1600	13	13	13	20°
HP5+	Ilfotec DD-X	1+9	1600	16			24°
HP5+	Ilfotec DD-X	1+4	3200	20	20	20	20°
Pan 100	Ilfotec DD-X	1+4	50	7			20°
Pan 100	Ilfotec DD-X	1+4	100	9			20°
Pan 100	Ilfotec DD-X	1+4	200	11			20°
Pan 400	Ilfotec DD-X	1+4	200	7			20°
Pan 400	Ilfotec DD-X	1+4	400	8			20°
Pan 400	Ilfotec DD-X	1+4	800	9			20°
Pan 400	Ilfotec DD-X	1+4	1600	12			20°
Pan 400	Ilfotec DD-X	1+4	3200	18			20°
Delta 100 Pro	Ilfotec DD-X	1+4	50	9,30	9,30	9,30	20°
Delta 100 Pro	Ilfotec DD-X	1+4	100	12	12	12	20°
Delta 100 Pro	Ilfotec DD-X	1+9	100	14,30			24°
Delta 100 Pro	Ilfotec DD-X	1+4	200	14	14	14	20°
Delta 400 Pro	Ilfotec DD-X	1+4	200	6	6		20°
Delta 400 Pro	Ilfotec DD-X	1+9	320		13		24°
Delta 400 Pro	Ilfotec DD-X	1+4	400	8	8		20°
Delta 400 Pro	Ilfotec DD-X	1+9	400		9,3		24°
Delta 400 Pro	Ilfotec DD-X	1+4	500	9,30	9,30		20°
Delta 400 Pro	Ilfotec DD-X	1+4	800	10,30	10,30		20°
Delta 400 Pro	Ilfotec DD-X	1+4	1600	14	14		20°
Delta 400 Pro	Ilfotec DD-X	1+4	3200	18	18		20°
Delta 3200 Pro	Ilfotec DD-X	1+4	400	6	6		20°
Delta 3200 Pro	Ilfotec DD-X	1+4	800	7	7		20°
Delta 3200 Pro	Ilfotec DD-X	1+9	800	13	13		20°
Delta 3200 Pro	Ilfotec DD-X	1+4	1600	8	8		20°
Delta 3200 Pro	Ilfotec DD-X	1+9	1600	20	20		20°
Delta 3200 Pro	Ilfotec DD-X	1+4	3200	9,30	9,30		20°
Delta 3200 Pro	Ilfotec DD-X	1+4	6400	12,30	12,30		20°
Delta 3200 Pro	Ilfotec DD-X	1+4	12500	17	17		20°
Delta 3200 Pro	Ilfotec DD-X	1+4	25000	25			20°
Delta 3200 Pro	Ilfotec DD-X	1+4	25000	17			24°
SFX 200	Ilfotec DD-X	1+4	200	10	10		20°
SFX 200	Ilfotec DD-X	1+4	400	14	14		20°
<b>KODAK</b>							
Tri-X 320	Ilfotec DD-X	1+4	200			6,30	20°

Tri-X 320	Ilfotec DD-X	1+4	400			8	20°
Tri-X 320	Ilfotec DD-X	1+4	800			10	20°
Tri-X 320	Ilfotec DD-X	1+4	1600			14	20°
Tri-X 400	Ilfotec DD-X	1+4	200	6,30	6,30		20°
Tri-X 400	Ilfotec DD-X	1+8	320		12		21°
Tri-X 400	Ilfotec DD-X	1+4	400	8	8		20°
Tri-X 400	Ilfotec DD-X	1+9	400	12			22°
Tri-X 400	Ilfotec DD-X	1+9	400		10,30		24°
Tri-X 400	Ilfotec DD-X	1+4	800	10	10		20°
Tri-X 400	Ilfotec DD-X	1+4	1600	14	14		20°
T-Max 100	Ilfotec DD-X	1+4	100	7	7	7	20°
T-Max 100	Ilfotec DD-X	1+9	100		8,30		24°
T-Max 100	Ilfotec DD-X	1+4	200	9	9	9	20°
T-Max 400	Ilfotec DD-X	1+4	200	7	7	7	20°
T-Max 400	Ilfotec DD-X	1+4	400	8	8	8	20°
T-Max 400	Ilfotec DD-X	1+4	800	10	10	10	20°
T-Max 400	Ilfotec DD-X	1+4	1600	13	13	13	20°
<b>FUJI</b>							
Acros 100	Ilfotec DD-X	1+4	100	9	10		20°
Acros 100	Ilfotec DD-X	1+4	200	13	13		20°
<b>FOMA</b>							
Fomapan 100	Ilfotec DD-X	1+9	100	12	12	12	20°
Fomapan 200	Ilfotec DD-X	1+4	200	6	6	6	20°
Fomapan 200	Ilfotec DD-X	1+9	200	9	9	9	20°
Fomapan 400	Ilfotec DD-X	1+9	400	12	12	12	20°